

FEES & INFORMATION

- 1. Site Review (615-355-5706) Planning Department
 - Annexation / Rezoning Request \$200.00
 - Concept Plan or Sketch Plat \$150.00
 - Preliminary Plat Subdivision (\$300.00 plus \$50.00 per lot)
 - Final Plat Subdivision (\$200.00 plus \$25 per lot)
 - Site Plan (\$300.00 plus \$.03 cents per square foot of building)
 - Board of Zoning Appeals (\$200.00)
- **2. Grading Permit** (615-355-5701) Greg Upham (see application for specifics)
 - Storm Water Fee: \$200 plus \$100/acre
 - Grading Permit Fee: \$150.00
 - Engineering Review Fees Based on Costs Incurred
 - Application Fee for Grading \$25.00

3. Building Permit (615-355-5704) Codes Department

- Must have current copy of State of Tennessee Contractors License & Workers Comp Insurance
- Commercial \$.30 cents per square foot (minimum \$100.00)
- Industrial \$.30 cents per square foot (minimum \$300.00)
- Multi-Family \$.30 cents per square foot (minimum \$30.00) & Development Tax from Rutherford County
- Shell permits \$.15 cents per square foot (minimum same as above)

4. Plan Review (Building Permit) (615-355-5704) Codes Department

- Multi Family & Commercial/Industrial Fee: ½ of permit fee (minimum \$100.00 & max \$5,000.00)
- Fee due at time permit is purchased
- May take up to 2 weeks to complete review & two complete sets of plans required
- See Plans Submittal Requirements page for more information

5. Tap Fees (615-355-5740) Utilities Department Gas, Water, Sewer

- Fee must be paid before final work order request is processed
- see "Water Customer Data Sheet" for specifics

6. Impact Fee (615-355-5706) Town Planner

- Fee must be paid before final work order request is processed

7. Other Fees

- <u>Development Tax</u> 615.898.7734 Rutherford County residential fee
- Electrical Permits 615.896.6117 State of Tennessee Murfreesboro
- Sign Permits 615.355.5706 Contact Melissa Morrison \$100.00 + .30 cents per Square Foot of sign
- Office Trailer or Construction Trailer: 615.355.5704 \$.30 cents/square foot
- Foundation Permit: 615.355.5704 Residential: \$55.00, Commercial/Industrial: \$105.00
- <u>Demolition Permit:</u> 615.532.6828 TN. Div. of Air Pollution Control Fee: \$105.00

\$30.00

- Reinspection Fee: \$35.00 – Must be paid before the next inspection is started (charged at Inspectors discretion)

8. Manual / Map Fees

Sign Ordinance Book
Zoning Ordinance Book
Subdivision Regulations
\$30.00

Town of Smyrna Zoning Map

Located on internet:

www.townofsmyrna.org

Click on Departments - then Planning



APPLICATION FOR BUILDING PLAN REVIEW

NAME OF SITE:					
ADDRESS OF SITE:		ESTI	MATED CONSTRUCTION CO	OST: <u>\$</u>	
APPLICANT NAME:			APPLICANT PHO	ONE:	
APPLICANT CONTACT	NAME:		CONTACT PHO	NE:	
APPLICANT EMAIL:					
CONTRACTOR:			CONTRACTOR P	HONE:	
PROPERTY OWNER:			OWNER PHONE:		
ARCHITECT/ENGINEER	!:		PHONE:		
OTHER EMAIL:					
SIGNATU	RE OF APPLICANT:			DATE:	
Office use only below line Offic	ce use only below line	- Office use only belo	ow line Office use only below	v line Office use only below	
				eived	
			Date Plans Rece		
DI AN DEVIEW EEE EO	THE DROIECT.	\$			
PLAN REVIEW FEE FO	R THIS PROJECT: Yes / No CHE	\$ CK #:			
PLAN REVIEW FEE FOR PAIR Type of Permit Being Re	R THIS PROJECT: : Yes / No CHECT quested:	\$ CK #:			
PLAN REVIEW FEE FOR PAIR Type of Permit Being Ref Foundation Shell Buil	equested:		DATE:	(Code 503)	
Type of Permit Being Re	equested: lding Build-Ou	ut Complete	DATE: Building Multi-Family	(Code 503) Remodel Addition	
Type of Permit Being Re Foundation Shell Bui	equested: lding Build-Ou FFICE APPROVAL R	ut Complete REQUIRED: Y	DATE: Building Multi-Family	(Code 503) Remodel Addition	
Type of Permit Being Ref Foundation Shell Bui STATE FIRE MARSHAL OF	equested: Ilding Build-Ou FFICE APPROVAL R Zone:	ut Complete REQUIRED: Y	DATE: Building Multi-Family	(Code 503) Remodel Addition (Letter Received: Y / N)	
Type of Permit Being Ref Foundation Shell Bui STATE FIRE MARSHAL OF Civil District:	equested: Idding Build-Ou FFICE APPROVAL R Zone: FSB:	ut Complete REQUIRED: Y Site I	DATE: Building Multi-Family N	(Code 503) Remodel Addition (Letter Received: Y / N)	
Type of Permit Being Ref Foundation Shell Bui STATE FIRE MARSHAL Of Civil District: Map:	equested: Ilding Build-Ou FFICE APPROVAL R Zone: FSB: SSB:	ut Complete REQUIRED: Y Site I	DATE:Building Multi-FamilyNN Plan / Project Name:	(Code 503) Remodel Addition (Letter Received: Y / N)	
Type of Permit Being Ref Foundation Shell Bui STATE FIRE MARSHAL OF Civil District: Map: Group: Parcel:	equested: Iding Build-Ou FFICE APPROVAL R Zone: FSB: SSB: RSB:	ut Complete REQUIRED: Y Site I	DATE: Building Multi-Family NN Plan / Project Name: Date of Site Plan:	(Code 503) Remodel Addition (Letter Received: Y / N)	
Type of Permit Being Ref Foundation Shell Bui STATE FIRE MARSHAL OF Civil District: Map: Group: Parcel: Address of Site:	equested: Iding Build-Ou FFICE APPROVAL R Zone: FSB: SSB: RSB:	ut Complete REQUIRED: Y Site I	DATE: Building Multi-Family NN Plan / Project Name: Date of Site Plan:	(Code 503) Remodel Addition (Letter Received: Y / N)	
Type of Permit Being Ref Foundation Shell Bui STATE FIRE MARSHAL OF Civil District: Map: Group: Parcel: Address of Site:	equested: Iding Build-Ou FFICE APPROVAL R Zone: FSB: SSB: RSB: Yes No	ut Complete REQUIRED: Y Site I	Building Multi-Family NN Plan / Project Name: Date of Site Plan:	(Code 503) Remodel Addition (Letter Received: Y / N)	
Type of Permit Being Ref Foundation Shell Bui STATE FIRE MARSHAL OF Civil District: Map: Group: Parcel: Address of Site: Gas: Use Classification:	equested: Iding Build-Ou FFICE APPROVAL R Zone: FSB: SSB: RSB: Yes No	ut Complete REQUIRED: Y Site I Stories: Group:	Building Multi-Family NN Plan / Project Name: Date of Site Plan: Sprinkler Required: Ye	(Code 503) Remodel Addition (Letter Received: Y / N)	
Type of Permit Being Ref Foundation Shell Bui STATE FIRE MARSHAL OF Civil District: Map: Group: Parcel: Address of Site: Gas: Use Classification:	equested: Ilding Build-Ou FFICE APPROVAL R Zone: FSB: SSB: RSB: Yes No	ut Complete REQUIRED: Y Site I Stories: Group:	Building Multi-Family NN Plan / Project Name: Date of Site Plan: Sprinkler Required: Ye Type Construction:	(Code 503) Remodel Addition (Letter Received: Y / N)	

www.townofsmyrna.org Fax: (615) 355-5781



PLAN SUBMITTAL REQUIREMENTS

COMMERCIAL INDUSTRIAL MULTI-FAMILY RESIDENTIAL

TOWN OF SMYRNA CODES DEPARTMENT 615-355-5704

Current Codes are: 2006 edition of ICC Building, Fire, Plumbing, Mechanical, Gas, ICC A117.1-2009 or 2004 North Carolina Accessibility code, 1995 Model Energy Code and Smyrna Fire Sprinkler Ordinance

- 1. Must be stamped, signed and dated as per Tennessee state law.
- **2.** Architect or Engineer must be licensed in the state of Tennessee.
- **3.** Drawings required:
 - A. Plan showing all code requirements and the application including: Construction type, occupancy type, egress requirements, height and area limitations and handicapped requirements.
 - B. Site plan must be approved by the Smyrna planning commission, can be submitted while waiting for approval.
 - C. Architectural plans, including floor plans, wall sections, roof sections, elevations, details and all other related drawings.
 - D. Structural plans showing all elements, details, and calculations.
 - E. Electrical plans, details and schedules including exit signs and emergency lights.
 - F. Plumbing plans and schedules.
 - G. Heating, air conditioning, and ventilation plans and schedules.
 - H. Fire alarm plans, if applicable.
 - I. Sprinkler plans, if applicable.
 - J. Gas plans and appliance schedule, if applicable.
 - K. Storage plans, if applicable, showing racks, bins, stacks, etc., including layout, separation and height.
 - L. Fire protection systems including exhaust hoods, if applicable.
- **4.** See Fire Safety Plan Submittal Requirements for additional details
- **5.** Engineering certificates on any trusses, beams or other structural items.
- **6.** Plan review fee due at time permit is obtained.
- **7.** Separate permits required for signs and construction trailers. Electrical permits must be obtained from State Electrical Inspector (615) 896-6117.

Last printed 1/17/2013 4:31 PM

Fire Safety Plan Submittal Requirements

The following items which are applicable to the structure being submitted must be clearly shown on the plans with any required notes and / or details.

- 1. Plans must meet all requirements of the ICC Fire and Building Codes 2006 edition and Town of Smyrna Fire Sprinkler Ordinance.
- 2. Site plans must show all fire hydrants both new and existing. All points of structure must be a maximum 300 feet hose lay from a hydrant.
- 3. Site plans must show all fire sprinkler connections. These must be a minimum of 30 feet from the structure and a maximum of 50 feet from a fire hydrant.
- 4. Building plans must show specific use and occupancy with calculations for both occupancy loads and egress requirements.
- 5. Building plans must show all emergency lights, exit signs, gas equipment and fire extinguisher locations including type and specifications.
- 6. Where a fire alarm is required complete plans and equipment specifications must be submitted for approval.
- 7. Where a fire sprinkler system is required complete plans, calculations, and materials specifications must be submitted for approval.
- 8. Where a cooking equipment hood and automatic fire extinguishing system is required, complete plans and specifications must be submitted for approval.
- 9. All spray booths and related automatic fire extinguishing equipment must be submitted for approval.
- 10. All flammable or otherwise hazardous gas systems, piping, controls, safety devices, and any other equipment related to these systems must be submitted for approval.
- 11. All hazardous materials, processes, operations, storage or anything that could possibly create a life safety situation must be shown on plans.
- 12. Storage occupancies using racks must show on plans, location, spacing, size, height, and materials of which racks are made.
- 13. Mercantile occupancies must show on plans location of fixtures and hazardous materials such as paints, flammable liquids, pool chemicals, propane cylinders, and any other hazards.
- 14. Assembly occupancies must show all fixed seating and / or tables with number of seats and aisle spacing.
- 15. Food service occupancies must show all tables and seating with number of seats and aisle spacing, and all cooking equipment with specifications.

TOWN OF SMYRNA

WATER CUSTOMER DATA SHEET

CUSTO	ME <u>R</u>	ADDRESS				
BUILDIN	IG ADDRESS					
SUBDIV	ISION		LOT NO.			
TYPE O	F OCCUPANCY					
		FIVTUDE VALUE		NO. of		□!∨∓! ID E
FIXTURI	_	FIXTURE VALUE				FIXTURE
Bathtub	<u>=_</u>	<u>60 psi</u> 8	Х	FIXTURES	-	VALUE
	Washers	10	X		= -	
Bidet	VV dSIICIS	2	X		= .	
Dental U	Init	2	X			
	Fountain - Public	2	X			
Kitchen S		2.2	X		 =	
Lavatory		1.5	X			
-	nead (Shower Only)	2.5	X		 =	
Service S	•	4	X		= -	
	- Flush Valve	35	X		= -	
• =	- Tank Type	4	X		= -	
Urinal	- Pedestal Flush Valve	35	X		= -	
	- Wall Flush Valve	16	X		=	
Wash Si	ink (Each Set of Faucets)	4	X		=	
Dishwas		2	Х		=	
	g Machine	6	Х		=	
_	60 ft Wash Down) - 1/2 in.	5	Х		=	
`	- 5/8 in.	9	Х		=	
	- 3/4 in.	12	Х		= _	
Combine	ed Fixture Value Total					
Far Smi						
	yrna Utilities use only : er Peak Demand From Fig. 4 - 2 c	or 4 - 3 x Press Factor		=	=	gpm
Add Irrig	ation Sections x 1.1	16 or 0.40		=	=	gpm
		ixture Value x Press Fa	actor	=		gpm
Added F	ixed Load			=		gpm
	FIXED DEMAND			=	·	gpm

NOTES:

Positive Dispacement	Meter	Minimum Flow Rate (gpm)	Low Normal Flow Rate (gpm)	Change Over Rai			Head Loss at Maximum Flow (gpm)	
5/8 in. 0.25 1 10 20 15 3/4 in. 0.5 2 15 30 15 1 in. 0.75 3 25 50 15 1 1/2 in. 1.5 5 N/A 50 100 15 Muttijet 5/8 in. 0.25 1 N/A 10 20 15 3/4 in. 0.5 2 15 30 15 1 lin. 0.75 3 25 50 15 1 lin. 1.5 5 50 100 15 Turbine class 1 Turbine class 1 1/2 in. 1.5 N/A N/A 20 30 15 1 lin. 2 8 80 160 15 1 lin. 1.5 N/A N/A 20 30 15 1 lin. 1.5 N/A 100 160 15 <td colspa<="" td=""><td>Positive I</td><td>Dispacemen</td><td>nt</td><td></td><td></td><td></td><td></td></td>	<td>Positive I</td> <td>Dispacemen</td> <td>nt</td> <td></td> <td></td> <td></td> <td></td>	Positive I	Dispacemen	nt				
3/4 in. 0.5	1/2 in.	0.25	1	N/A	7.5	15	15	
1 in. 0.75 3 3 N/A 50 100 15 11/2 in. 1.5 5 N/A 50 100 15 2 in. 2 8 N/A 50 100 15 N/A	5/8 in.	0.25	1		10	20	15	
1 1/2 in.	3/4 in.	0.5	2		15	30	15	
Multijet 5/8 in. 0.25 1 N/A 10 20 15 3/4 in. 0.5 2 15 30 15 1 in. 0.75 3 25 50 15 1 1/2 in. 1.5 5 50 100 15 Turbine class 1 3/4 in. 1.5 N/A N/A 20 30 15 1 in. 2 8 N/A 20 30 15 1 in. 2 8 N/A 20 30 15 1 in. 2 35 50 15 1 1/2 in. 3 65 100 15 2 in. 4 100 160 15 3 in. 6 220 350 15 4 in. 8 420 630 15 Turbine class 2 2 11 100 160 7 2 in. 4 N/A	1 in.	0.75	3		25	50	15	
Multijet 5/8 lin. 0.25	1 1/2 in.	1.5	5	N/A	50	100	15	
5/8 in. 0.25 1 N/A 10 20 15 3/4 in. 0.5 2 15 30 15 1 1/2 in. 1.5 5 50 15 1 1/2 in. 1.5 5 50 100 15 Turbine class 1 3/4 in. 1.5 N/A N/A 20 30 15 1 in. 2 35 50 15 1 in. 2 35 50 15 1 1/2 in. 3 65 100 15 1 1/2 in. 4 100 160 15 3 in. 6 220 350 15 4 in. 8 420 630 15 4 in. 8 420 630 15 5 in. 4 N/A N/A 80 120 7 2 in. 4 N/A 80 120 7 2 in. 4 N/A 80 120 7 2 in. 4 100 160 </td <td>2 in.</td> <td>2</td> <td>8</td> <td></td> <td>80</td> <td>160</td> <td>15</td>	2 in.	2	8		80	160	15	
3/4 in. 0.5 2 15 30 15 1 in. 0.75 3 25 50 15 1 1/2 in. 1.5 5 50 100 15 Turbine class 1 Turbine class 1 3/4 in. 1.5 N/A N/A 20 30 15 1 in. 2 35 50 15 1 1/2 in. 3 65 100 15 2 in. 4 100 160 15 3 in. 6 220 350 15 4 in. 8 420 630 15 6 in. 15 865 1300 15 Turbine class 2 Turbine class 2 </td <td>Multijet</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Multijet							
1 in.	5/8 in.	0.25	1	N/A	10	20	15	
1 1/2 in.	3/4 in.	0.5	2		15	30	15	
2 in.	1 in.	0.75	3		25	50	15	
Turbine class 1 3/4 in. 1.5	1 1/2 in.	1.5	5		50	100	15	
3/4 in. 1.5 N/A N/A 20 30 15 1 in. 2 35 50 15 1 1/2 in. 3 65 100 15 2 in. 4 100 160 15 3 in. 6 220 350 15 4 in. 8 420 630 15 6 in. 15 865 1300 15 Turbine class 2 Turbine class 2 1 1/2 in. 4 N/A N/A 80 120 7 2 in. 4 N/A N/A 80 120 7 2 in. 4 N/A N/A 80 120 7 3 in. 8 240 350 7 4 in. 15 420 630 7 6 in. 30 920 1400 7 12 in. 120 3300 5000 7 12 in. 120 3300 5000 7 16 in. 200 6500 10000 7 18 in. 250 20 80 160 20 2 in. 0.25 2 20	2 in.	2	8		80	160	15	
1 in.	Turbine o	class 1						
1 1/2 in.	3/4 in.	1.5	N/A	N/A	20	30	15	
2 in.	1 in.	2			35	50	15	
3 in. 6 4 in. 8 420 350 15 46 in. 15 865 1300 15 Turbine class 2 1 1/2 in. 4 N/A N/A 80 120 7 2 in. 4 350 7 4 in. 15 420 630 7 6 in. 30 920 1400 7 8 in. 50 1600 2400 7 10 in. 75 2500 3800 7 10 in. 75 12 in. 120 3300 5000 7 12 in. 150 150 160 7 160 7 160 160 7 160 160 7 160 160 160 160 160 160 160 160 160 160	1 1/2 in.	3			65	100	15	
4 in. 8 6 in. 15 865 1300 15 6 in. 15 865 1300 15	2 in.	4			100	160	15	
Turbine class 2 Turbine class 2 1 1/2 in. 4 N/A N/A 80 120 7 2 in. 4 100 160 7 3 in. 8 240 350 7 4 in. 15 420 630 7 6 in. 30 920 1400 7 6 in. 30 920 1400 7 10 in. 75 2500 3800 7 12 in. 120 3300 5000 7 14 in. 150 5200 7500 7 16 in. 200 6500 10000 7 18 in. 250 8500 12500 7 20 in. 300 10000 15000 7 20 in. 300 10000 15000 7 Compound 2 in. 0.25 2 20 80 160 20 3 in. 0.5 4 23 160 320 20	3 in.	6			220	350	15	
Turbine class 2 1 1/2 in.	4 in.	8			420	630	15	
1 1/2 in.	6 in.	15			865	1300	15	
2 in.	Turbine o	class 2						
3 in. 8	1 1/2 in.	4	N/A	N/A	80	120	7	
4 in.	2 in.	4			100	160	7	
6 in. 30 920 1400 7 8 in. 50 1600 2400 7 10 in. 75 2500 3800 7 12 in. 120 3300 5000 7 16 in. 200 6500 10000 7 18 in. 250 8500 12500 7 20 in. 300 10000 7 Compound 2 in. 0.25 2 20 80 160 320 20 4 in. 0.75 6 28 250 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 2 5 80 100 15 2 in. 0.5 2 6 80 160 15 3 in. 0.5 4 23 160 320 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 5 80 160 320 15 3 in. 0.5 4 50 160 320 15 4 in. 0.5 3 2 500 1000 15	3 in.	8			240	350	7	
8 in. 50 10 in. 75 10 in. 75 12 in. 120 3300 5000 7 14 in. 150 5200 7500 7 16 in. 200 18 in. 250 20 in. 300 Compound 2 in. 0.25 2 20 80 160 320 20 4 in. 0.75 6 28 250 500 6 in. 1.5 10 32 500 800 1600 20 Singlejet 1 1/2 in. 0.5 2 2 80 160 320 15 4 in. 0.5 3 in. 0.5 4 23 80 160 20 80 1600 20 80 80 1600 20 80 80 1600 20 80 80 80 80 80 80 80 80 80 80 80 80 80		15						
10 in. 75 12 in. 120 3300 5000 7 14 in. 150 16 in. 200 6500 10000 7 18 in. 250 25 in. 300 7 Compound 2 in. 0.25 2 20 80 160 20 3 in. 0.5 4 23 160 320 20 4 in. 0.75 6 28 250 500 20 6 in. 1.5 10 32 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 320 15 3 in. 0.5 2 5 160 320 15 4 in. 0.75 3 160 320 15 4 in. 0.75 3 160 320 15 4 in. 0.5 1.5 N/A 50 100 15	6 in.						7	
12 in. 120 3300 5000 7 14 in. 150 5200 7500 7 16 in. 200 6500 10000 7 18 in. 250 8500 12500 7 20 in. 300 10000 15000 7 Compound 2 in. 0.25 2 20 80 160 20 3 in. 0.5 4 23 160 320 20 4 in. 0.75 6 28 250 500 20 6 in. 1.5 10 32 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 320 15 3 in. 0.5 2 50 500 15								
14 in. 150 5200 7500 7 16 in. 200 6500 10000 7 18 in. 250 8500 12500 7 20 in. 300 10000 15000 7 Compound 2 in. 0.25 2 20 80 160 20 3 in. 0.5 4 23 160 320 20 4 in. 0.75 6 28 250 500 20 6 in. 1.5 10 32 500 1000 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2.5 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15								
16 in. 200 6500 10000 7 18 in. 250 8500 12500 7 20 in. 300 10000 15000 7 Compound 2 in. 0.25 2 20 80 160 20 3 in. 0.5 4 23 160 320 20 4 in. 0.75 6 28 250 500 20 6 in. 1.5 10 32 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15								
18 in. 250 20 in. 300 Compound 2 in. 0.25 2 in. 0.5 4 in. 0.75 6 in. 1.5 1.5 10 32 500 4 in. 2 50 1000 20 20 8 in. 2 1 1/2 in. 0.5 2 in. 0.5 3 in. 0.5 4 in. 0.5 2 in. 0.5 3 in. 0.5 4 in. 0.75 3 in. 0.5 2 in. 0.5 3 in. 0.5 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
20 in. 300 10000 15000 7 Compound 2 in. 0.25 2 20 80 160 20 3 in. 0.5 4 23 160 320 20 4 in. 0.75 6 28 250 500 20 6 in. 1.5 10 32 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15								
Compound 2 in. 0.25 2 20 80 160 20 3 in. 0.5 4 23 160 320 20 4 in. 0.75 6 28 250 500 20 6 in. 1.5 10 32 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15								
2 in. 0.25 2 20 80 160 20 3 in. 0.5 4 23 160 320 20 4 in. 0.75 6 28 250 500 20 6 in. 1.5 10 32 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15							•	
3 in. 0.5 4 23 160 320 20 4 in. 0.75 6 28 250 500 20 6 in. 1.5 10 32 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15	-		2	20	80	160	20	
4 in. 0.75 6 28 250 500 20 6 in. 1.5 10 32 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15								
6 in. 1.5 10 32 500 1000 20 8 in. 2 16 50 800 1600 20 Singlejet 11/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3								
8 in. 2 16 50 800 1600 20 Singlejet 1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15								
1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15								
1 1/2 in. 0.5 1.5 N/A 50 100 15 2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15	Singleiet							
2 in. 0.5 2 80 160 15 3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15			1.5	N/A	50	100	15	
3 in. 0.5 2.5 160 320 15 4 in. 0.75 3 250 500 15				- · · -				
4 in. 0.75 3 250 500 15								

TOWN OF SMYRNA APPLICATION FOR GRADING/EXCAVATION PERMIT



Applicant Information

Name:		Phone:
Street address:		
Developer/Owner Informat	ion (If different from ap	plicant)
Name:		Phone:
Street address:		
		ding or work):
Estimated cut & fill:		Grading/Excavating permit fee: \$
Number of acres:		Storm water fee: \$
Project name:Project address:		
		Parcel Zone Setbacks
Contractor/Person Perform	0 0	,
Street address:		
City, state, zip:		
Email address:		

Prior to issuance of grading/excavating permit, an inspection <u>must</u> be completed by the storm water management program to insure compliance with §12-304(f) of the storm water management ordinance. The following information must be attached with this application when submitted for approval:

- 1. Tennessee Contractors License.
- 2. Workman's Compensation Insurance Certificate.
- 3. <u>Four sets of Plans</u> showing all specifics of the grading/excavation, including location, size, materials, etc., and supporting data consisting of a soil engineering report and engineering geology report. The plans and specifications shall be prepared and signed by a civil engineer and must comply with §12-305 of the Smyrna Municipal Code.

I have received and reviewed a copy of Smyrna Municipal Code Title 12, Chapter 3 related to grading and excavation, as well as Smyrna Municipal Code Title 14, Chapter 6 related to storm water management.

I hereby agree to comply with all of the applicable provisions of the Smyrna Municipal Code related to grading, excavation, and storm water management, as well as all other applicable federal and state laws, and local ordinances.

I hereby certify that I have read and examined this application and understand and agree that any error, misstatement or misrepresentation of fact, either with or without intention on my part, such as might, if known, cause a refusal of this approval, may constitute sufficient grounds for the revocation of such approval. I further understand that all provisions, laws and ordinances governing this type of work will be complied with at all times, whether specified herein or not. Failure to do so may constitute sufficient grounds for revocation of such approval, the issuance of a stop work order, and/or citation to municipal court or other available legal remedies.

Applicant/Permittee Signature*:	Date:
*If the applicant is the authorized agent of the permittee, the applicant may	be required to submit evidence to indicate
such authority.	_
(FOR OFFICE USE ONLY	⁷)
☐ Approval by Planning Commission (The director of public works	Date:
may at his discretion require approval by the planning commission	
prior to issuance of a grading permit.)	
□ Not applicable	
☐ Plans reviewed by Director of Public Works or Designee	Date:
☐ Pre-issuance storm water management inspection	
□ Approved	Approval Date:
☐ Denied, the following corrective action is needed:	Denial Date:
☐ Approved with corrective action completed	Approval Date:
rr	Tr ·····
□ Development Agreement has been fully executed and is on file.	Date:
□ Fees: Application Fees \$	Date paid:
Engineering Review Fees \$	Date paid:
Permit Fee \$	Date paid:
Storm Water Fee \$	Date paid: